Refine Search

Search Results -

Terms Documents 3036887

US Pre-Grant Publication Full-Text Database US Patents Full-Text Database

US OCR Full-Text Database

Database:

EPO Abstracts Database


JPO Abstracts Database Derwent World Patents Index

IBM Technical Disclosure Bulletins

Search:

······	·····	***************************************
129		
		프립

Refine Search





Interrupt

Search History

DATE: Tuesday, February 12, 2008 **Purge Queries** Printable Copy Create Case

Set Name	Quary	<u>Hit</u>	Set
Name side by side	Query	Count	Name result set
DB=B	EPAB; PLUR=YES; OP=OR	•	
<u>L129</u>	3036887	1	<u>L129</u>
DB=I	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD; PLUR=YES; OP=OR		
<u>L128</u>	03036887	6	<u>L128</u>
<u>L127</u>	03036881	4	<u>L127</u>
<u>L126</u>	1513302	9	<u>L126</u>
DB=B	PGPB; $PLUR = YES$; $OP = OR$		
<u>L125</u>	US-20050193061-A1.did.	1	<u>L125</u>
DB=B	EPAB; PLUR=YES; OP=OR	•	•
<u>L124</u>	WO-2004102438-A2.did.	1	<u>L124</u>
DB=B	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD; PLUR=YES; OP=OR		
<u>L123</u>	2004102438	5	<u>L123</u>
<u>L122</u>	2002102438	3	<u>L122</u>
<u>L121</u>	L115 and L120	20	<u>L121</u>

<u>L120</u>	xml and L119	105	<u>L120</u>
<u>L119</u>	((rout\$3 or pass\$3 or exchang\$3) near messag\$3) and L118	166	<u>L119</u>
<u>L118</u>	L87 and L117	297	<u>L118</u>
<u>L117</u>	business near messag\$3	1477	<u>L117</u>
<u>L116</u>	L114 and L115	7	L116
<u>L115</u>	(abstract\$3 or api or application near interface) near message	1291	L115
<u>L114</u>	xml and L113	98	<u>L114</u>
<u>L113</u>	L87 and L112	237	L113
<u>L112</u>	((rout\$3 or pass\$3 or exchang\$3) near messag\$3) with rules	991	L112
<u>L111</u>	@pd<20040312 and L110	19	<u>L111</u>
<u>L110</u>	namespace and L109	100	L110
<u>L109</u>	xml near tag with (abstract\$3 or api or application near interface or defin\$5)	759	<u>L109</u>
<u>L108</u>	xml near tag with ((receiver or recipient) near message)	. 1	<u>L108</u>
L107	xml near tag with ((receiver or recepient) near message)	0	L107
L106	xml near tag with (defin\$5 near ((receiver or recepient) near message))	0	L106
L105	xml near tag with ((defin\$5 or receiver or recepient) near message)	. 6	L105
L104	xml near namespace with messag\$3	33	L104
L103	xml near namespace and L102	2	L103
L102	L87 and L100	118	L102
L101	namespace and L100	48	<u>L101</u>
L100	defin\$5 with ((context or object) near message)	501	<u>L100</u>
L99	@pd<20040312 and L98	43	<u>L99</u>
<u>L98</u>	L95 and L97	82	<u>L98</u>
<u>L97</u>	(transparen\$2 or abstract\$3 or interface near application or api) near message	1718	<u>L97</u>
<u>L96</u>	L93 and L95	11	<u>L96</u>
<u>L95</u>	(message near (content or context or object)) with (datastore or database or storage or repository)	2065	<u>L95</u>
<u>L94</u>	namespace and L93	11	<u>L94</u>
<u>L93</u>	(transparen\$2 or abstract\$3 or interface near application or api) with (access near message)	105	<u>L93</u>
<u>L92</u>	(name and namespace) with (message near (content or context or object))	6	<u>L92</u>
<u>L91</u>	namespace and L90	4	<u>L91</u>
<u>L90</u>	@pd<20040312 and L88	147	<u>L90</u>
<u>L89</u>	re\$lus\$3 with (message near (content or context or object))	37	<u>L89</u>
<u>L88</u>	(transparen\$2 or abstract\$3 or interface near application or api) with (message near (content or context or object))	330	<u>L88</u>
<u>L87</u>	L82 or L83 or L84 or L85 or L86	56718	<u>L87</u>
<u>L86</u>	(719/313 719/314 719/315).ccls.	1931	<u>L86</u>
<u>L85</u>	(715/513 715/733 715/734 715/737 715/738 715/740 715/749 715/760).ccls.	2162	<u>L85</u>

<u>L84</u>	(709/201 709/202 709/203 709/204 709/205 709/206 709/207 709/217 709/218 709/219).ccls.	27228	<u>L84</u>
<u>L83</u>	(705/26 705/27).ccls.	7483	<u>L83</u>
<u>L82</u>	(705/1 705/2 705/3 705/4 705/5 705/6 705/7 705/8 705/9 705/10 705/11).ccls.	20492	<u>L82</u>
DB=	TDBD,DWPI,JPAB,EPAB,USOC,USPT,PGPB; PLUR=YES; OP=OR		
<u>L81</u>	SCHLARB-UWE!	4	<u>L81</u>
<u>L80</u>	SCHLARB-UWE!	4	<u>L80</u>
<u>L79</u>	HILLENBRAND-THEA!	2	L79
<u>L78</u>	HILLENBRAND-THEA!	2	<u>L78</u>
<u>L77</u>	BEUNINGS-FRANK!	3	<u>L77</u>
<u>L76</u>	BEUNINGS-FRANK!	3	<u>L76</u>
DB=1	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD; PLUR=YES; OP=OR		
<u>L75</u>	L73 and L74	18	<u>L75</u>
<u>L74</u>	(abstract\$3 or transparen\$2 or wrap\$4) near message	1400	<u>L74</u>
<u>L73</u>	((web or application) near server) with run\$1time and messag\$3	780	L73
<u>L72</u>	@pd<20040312 and L71	16	<u>L72</u>
<u>L71</u>	run\$1time with (messag\$3 or business near process) near (java or application)	112	<u>L71</u>
<u>L70</u>	run\$1time with (messag\$3 or business near process) near java near application	0	<u>L70</u>
<u>L69</u>	@pd<20040312 and L68	31	<u>L69</u>
<u>L68</u>	run\$1time adj engine with (messag\$3 or business near process)	73	<u>L68</u>
<u>L67</u>	L65 and L66	6	<u>L67</u>
<u>L66</u>	run\$1time adj engine	960	<u>L66</u>
<u>L65</u>	((encapsulat\$3 or wrap\$4) near messag\$4)	2732	<u>L65</u>
<u>L64</u>	business near message with (api or application near interface or abstract\$3)	33	<u>L64</u>
<u>L63</u>	business near message with (context or container or envelope)	33	<u>L63</u>
<u>L62</u>	6779184.pn.	2	<u>L62</u>
<u>L61</u>	677184.pn.	5	<u>L61</u>
<u>L60</u>	@pd<20040314 and L59	67	<u>L60</u>
<u>L59</u>	context near object with messag\$3	154	<u>L59</u>
<u>L58</u>	@pd<20040314 and L57	47	<u>L58</u>
<u>L57</u>	messag\$3 and L55	120	<u>L57</u>
<u>L56</u>	L53 and L55	1	<u>L56</u>
<u>L55</u>	context near object same (api or application near interface)	145	<u>L55</u>
<u>L54</u>	context near object with (api or application near interface)	72	<u>L54</u>
<u>L53</u>	abstract\$3 with message	2628	<u>L53</u>
<u>L52</u>	context near object same (name and namespace)	18	<u>L52</u>
<u>L51</u>	(context adj object) and L48	22	<u>L51</u>
<u>L50</u>	(context abj object) and L48	238	<u>L50</u>
<u>L49</u>	context abj object and L48	559637	<u>L49</u>

<u>L48</u>	context with receiv\$3 near application	238	<u>L48</u>
<u>L47</u>	@pd<20040312 and L46	264259	<u>L47</u>
<u>L46</u>	context abj object near repository	560313	<u>L46</u>
<u>L45</u>	L43 and L44	75	<u>L45</u>
<u>L44</u>	context with (abstract\$3 or re\$1us\$3)	3229	<u>L44</u>
<u>L43</u>	run\$1time with messag\$3 and L42	1350	<u>L43</u>
<u>L42</u>	context abj object with repository	562348	<u>L42</u>
<u>L41</u>	context near object same re\$1us\$3	70	<u>L41</u>
<u>L40</u>	@pd<20040312 and L39	77	<u>L40</u>
<u>L39</u>	(application near interface or api or dll) same(access\$3 near (message or pay\$1load))	174	<u>L39</u>
<u>L38</u>	@pd<20040312 and L37	26	<u>L38</u>
<u>L37</u>	messag\$3 and L34	139	<u>L37</u>
<u>L36</u>	L34 and L35	. 0	<u>L36</u>
<u>L35</u>	context near object same messag\$3	310	<u>L35</u>
<u>L34</u>	re\$1us\$1 with (api or application near interface)	206	<u>L34</u>
<u>L33</u>	@pd<20040312 and L32	70	<u>L33</u>
<u>L32</u>	abstract\$3 with message near (data or content or repository or stor\$3)	168	<u>L32</u>
<u>L31</u>	xml and L30	69	<u>L31</u>
<u>L30</u>	@pd<20040312 and L29	358	<u>L30</u>
L29	(message near context or context adj object) same (api or application near interface or interface)	873	<u>L29</u>
<u>L28</u>	L26 and L27	20	<u>L28</u>
<u>L27</u>	(message near context or context adj object)	4475	<u>L27</u>
<u>L26</u>	(message near (api or application near interface or interface)) same (message near (type or data near type or xsdl))	332	<u>L26</u>
<u>L25</u>	xml and L24	50	<u>L25</u>
<u>L24</u>	(message near context or context adj object) same (api or application near interface)	166	<u>L24</u>
<u>L23</u>	xml and L22	107	<u>L23</u>
<u>L22</u>	(message near context or context adj object) same (payload or (message near (data or content)))	248	<u>L22</u>
<u>L21</u>	@pd<20040312 and L20	41	<u>L21</u>
<u>L20</u>	xml and L19	207	<u>L20</u>
<u>L19</u>	message near (rout\$3 or dispatch\$3) same context	680	L19
<u>L18</u>	message near (rout\$3 or dispatch\$3) same name\$1space	29	<u>L18</u>
<u>L17</u>	message near name\$1space	27	<u>L17</u>
<u>L16</u>	(xml or name\$1space) and L15	124	<u>L16</u>
<u>L15</u>	(rout\$3 or dispatch\$3) with (context adj object or message near context)	234	<u>L15</u>
<u>L14</u>	(rout\$3 near configur\$6) same (context adj object or message near context)	3.	<u>L14</u>
<u>L13</u>	(name\$1space) same (context adj object or message near context)	25	<u>L13</u>
<u>L12</u>	(name\$1space) with (context adj object or message near context)	10	<u>L12</u>

<u>L11</u>	xml and L10	92	<u>L11</u>
<u>L10</u>	(name or namespace) with (context adj object or message near context)	274	<u>L10</u>
<u>L9</u>	(context adj object or message near context) with repository	42	<u>L9</u>
<u>L8</u>	business and L6	115	<u>L8</u>
<u>L7</u>	xml and L6	72	<u>L7</u>
<u>L6</u>	(creat\$3 or defin\$5) near (context adj object or message near context)	. 223	<u>L6</u>
<u>L5</u>	xml and L4	12	<u>L5</u>
<u>L4</u>	reus\$3 near (api or application near interfaces)	34	<u>L4</u>
<u>L3</u>	xpath and L2	4	<u>L3</u>
<u>L2</u>	reus\$3 with (api or application near interfaces)	266	<u>L2</u>
Ll	20050091635	2	Ll

END OF SEARCH HISTORY